



eRAD RIS

RELEASE ANNOUNCEMENT

Build 4.2026.002

UPDATED JANUARY 15, 2026

TABLE OF CONTENTS

Summary 2

- Release Announcement2
- Resolved Issues2
- New Known Limitations2

Version Details 3

- Code Stream3

PUBLICATION HISTORY

Revision	Author	Description
January 15, 2026	Kevin Brooks	▪ Commercial release.

SUMMARY

Release Announcement

This release of eRAD RIS 4.2026.002 resolves errors in Insurance AI, Portals, and Scheduling.

Resolved Issues

This release resolves the following issues:

Category	Redmine #	Subject
Insurance AI	37859	Resolved Insurance AI issue where AutoCert requests were causing Freezing/ Slowness.
Portals	37977	Resolved Portals issue where Orders scheduled in Portal have no Reason for Order when opened in Registration.
Scheduling	37992	Resolved Scheduling issue where multiple contrast rows were unexpectedly added with multiple studies.

SORTED BY CATEGORY AND REDMINE

New Known Limitations

The following new Known Limitations were identified with this release:

- **BUG #38010 - CONTRAST AMOUNT REVERTING WHEN UPDATING DOSE USED**
 - **Issue:** When contrast has a default vial size and default dose configured, the discarded value reverts to the difference even when you change the dose used
 - **Impact:** When editing the dose used, the discarded column will initially show the difference but then reverts to the original discarded amount.
 - **Workaround:** No known workaround.

VERSION DETAILS

Code Stream

The following source code branches have been merged into this release:

