To understand exactly what action will execute for every command listed and available in the configuration, refer to this document.

NAVIGATION COMMANDS

Go to start of <section name=""></section>	. Places cursor at beginning of section name
Go to end of <section name=""></section>	. Places cursor at the end of section name
Go to start of <sentence></sentence>	. Places cursor at the beginning of current sentence
Go to end of <sentence></sentence>	. Places cursor at the end of current sentence
Go to start of <line></line>	. Places cursor at beginning of current line
Go to end of <line></line>	. Places cursor at end of current line
Go to start of <paragraph></paragraph>	. Places cursor at the beginning of current paragraph
Go to end of <paragraph></paragraph>	. Places cursor at the end of current paragraph
Go to start of <list></list>	. Places cursor at the beginning of list
Go to end of <list></list>	. Places cursor at the end of list
New line	. Create a new line at the current cursor position
New paragraph	. Create a new paragraph at the current cursor position
Next field	. Positions cursor in next field
Previous field	. Positions cursor in previous field
First field	Positions cursor in first field
Last field	Positions cursor in last field
Next item <word sequence=""></word>	Alternate command to continue list
Scroll up	Scroll up document
Scroll down	Scroll down document
Item <#> <word sequence=""></word>	Begin list at current cursor position with first list item and
OR Item number <#> <word< th=""><th>continue with subsequent item numbers</th></word<>	continue with subsequent item numbers
sequence>	



EDITING TEXT

Undo that	Undo last command spoken
Select <word or="" sequence="" word=""></word>	Select word or word sequence up to five words
Select <word> through <word></word></word>	Select text beginning with first word through last word
Select next <#> words	Select number of words to right of cursor
Select previous <#> words	Select number of words to left of cursor
Select current line	Select current line where cursor is positioned
Select current paragraph	Select current paragraph where cursor is positioned
Select current section	Select entire section where cursor is positioned
Select all	Select all text in document
New line or paragraph	Start selected text on new line or paragraph
Move to beginning of <section name=""></section>	Move selected text to beginning of indicated section
Move to end of <section name=""></section>	Move selected text to end of indicated section
Correct <word or="" sequence="" word=""></word>	Correct a word or group of words
Correct <word> through <word></word></word>	Correct text beginning with first word through last word
Insert after <word or="" sequence="" word=""></word>	Places cursor after given word or word sequence in inser
	mode
Insert before <word or="" sequence="" word=""></word>	Places cursor before given word or word sequence in
	insert mode
Delete selection	Delete current text selected
Delete next <#> words	Delete next number of words to right of cursor
Delete previous <#> words	Delete previous number of words to left of cursor
Delete current sentence	Delete sentence where cursor is positioned
Delete current section	Delete section where cursor is positioned
Delete next section	Delete next section to right of cursor position



Delete previous section	Delete previous section to left of cursor position
Delete next list	Delete next list item
Delete previous list	Delete previous list item
Uppercase selection	Turn current selection into uppercase text
Uppercase next <n> words</n>	Turn next number of words to right of cursor to uppercase
	text
Uppercase previous <n> words</n>	Turn previous number of words to left of cursor to
	uppercase text